


# SHOWER TRAYS (QUARYL) SQUARO INFINITY

## PRODUCT INFORMATION

### 1 . POSITION



<b>Model</b>	<b>UDQ1075SQI2RV</b>
Collection	Squaro Infinity
PROJECTS	DESIGN
Width	750 mm
Height	40 mm
Depth	15 mm
Length	1000 mm
Weight	20,9 kg
description	corner installation, right against the wall Technical information: Cut shower tray (side unprocessed), Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274, All shower trays are classified as anti-slip class C (in accordance with DIN51097), <b>Surface-mounted models can be fitted in corners on the right against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at <a href="http://pro.villeroy-boch.com/squaroinfinity">pro.villeroy-boch.com/squaroinfinity</a> or QR code on this page.</b> Outlet cover in matching matt colour with chrome-plated strip, <b>The extra charge for cutting already in the total price!</b> Not included in scope of delivery: All shower trays are supplied without support/base, With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure. Diameter: 90 mm
material	Quaryl®

Specification texts

Squaro Infinity; Shower tray; Size: 1000 x 750 x 40 mm; Quarryl®; corner installation, right against the wall; Outlet cover in matching matt colour with chrome-plated strip, **The extra charge for cutting already in the total price!**; Not included in scope of delivery: All shower trays are supplied without support/base, With cut shower trays, we recommend the use of a composite seal in accordance with ETAG 022 on the floor structure below the shower tray in order to prevent any moisture from penetrating the floor structure.; Diameter: 90 mm; Technical information: Cut shower tray (side unprocessed), Drainage capacity: 48 l/min, The installation height of the shower tray can be reduced by 30 mm if the Viega outlet fitting art. no. 634 100 is used. Please note: this outlet fitting does not conform to EN 274, All shower trays are classified as anti-slip class C (in accordance with DIN51097), **Surface-mounted models can be fitted in corners on the right against the wall, in a niche or flush-fit with the floor., Quarryl shower trays can be cut to size on site according to the installation instructions; detailed video at [pro.villeroy-boch.com/squaroinfinity](http://pro.villeroy-boch.com/squaroinfinity) or QR code on this page.**

COLOURS

Anthracite	UDQ1075SQI2RV-1S	4051202456573
Crème	UDQ1075SQI2RV-2S	4051202457785
Grey	UDQ1075SQI2RV-3S	4051202458997
Brown	UDQ1075SQI2RV-4S	4051202460204
Stone White	UDQ1075SQI2RV-RW	4051202851446

TECHNICAL DRAWINGS

UDQ1075SQI2RV

SQUARO INFINITY  
UDQ1075SQI2R



Villeroy & Boch

- This drawing is for information only.
- The dimensions of the product can vary from this drawing.
- Claims about wrong dimensions on product or drawing will not be accepted.

